

References consulted for *Leaves under the Lens* exhibit

Matthaei Botanical Gardens

February 1 – April 13, 2025

Questions? Contact rglos@umich.edu

1. Tuft domatia (*Paullinia pinnata*)

Chomicki, G., N. Walker-Hale, J. P. Etchells, E. J. Ritter, and M. G. Weber. 2024. Diversity and development of domatia: Symbiotic plant structures to host mutualistic ants or mites. *Current Opinion in Plant Biology* 82: 102647.

Myers, A., B. Martin, J. Yonenaga, A. A. Agrawal, and M. G. Weber. 2024. A global assessment of plant-mite mutualism and its ecological drivers. 2024.09.24.614831.

2. Absorbent hairs (*Tillandsia* sp.)

Raux, P. S., S. Gravelle, and J. Dumais. 2020. Design of a unidirectional water valve in *Tillandsia*. *Nature Communications* 11: 396.

3. Phytoliths (*Saccharum officinarum*)

Massey, F. P., A. R. Ennos, and S. E. Hartley. 2006. Silica in grasses as a defence against insect herbivores: Contrasting effects on folivores and a phloem feeder. *Journal of Animal Ecology* 75: 595–603.

Rudall, P. J., C. J. Prychid, and T. Gregory. 2014. Epidermal patterning and silica phytoliths in grasses: An evolutionary history. *The Botanical Review* 80: 59–71.

4. Pit domatia (*Coffea arabica*) – see also references for #1

Matos, C. H. C., A. Pallini, F. F. Chaves, J. H. Schoereder, and A. Janssen. 2006. Do domatia mediate mutualistic interactions between coffee plants and predatory mites? *Entomologia Experimentalis et Applicata* 118: 185–192.

O'Dowd, D. J. 1994. Mite association with the leaf domatia of coffee (*Coffea arabica*) in north Queensland, Australia. *Bulletin of Entomological Research* 84: 361–366.

5. Stomata (*Tradescantia spathacea*)

Hetherington, A. M., and F. I. Woodward. 2003. The role of stomata in sensing and driving environmental change. *Nature* 424: 901–908.



Tan, J. B. L., Y. Y. Lim, and S. M. Lee. 2014. *Rhoeo spathacea* (Swartz) Stearn leaves, a potential natural food colorant. *Journal of Functional Foods* 7: 443–451.

6. Coloration (*Begonia* ‘Little Brother Montgomery’)

Sheue, C.-R., S.-H. Pao, L.-F. Chien, P. Chesson, and C.-I. Peng. 2012. Natural foliar variegation without costs? The case of *Begonia*. *Annals of Botany* 109: 1065–1074.

7. Oil glands (*Citrus x Meyer*)

Lersten, N. R., A. R. Czapinski, J. D. Curtis, R. Freckmann, and H. T. Horner. 2006. Oil bodies in leaf mesophyll cells of angiosperms: overview and a selected survey. *American Journal of Botany* 93: 1731–1739.

Thomson, W. W., K. A. Platt-Aloia, and A. G. Endress. 1976. Ultrastructure of oil gland development in the leaf of *Citrus sinensis* L. *Botanical Gazette* 137: 330–340.

8. Epicuticular wax (*Phoenix dactylifera*)

Khelil, R., E. Jardé, F. Cabello-Hurtado, A. Ould-el-Hadj Khelil, and M.-A. Esnault. 2016. Structure and composition of the wax of the date palm, *Phoenix dactylifera* L., from the septentrional Sahara. *Scientia Horticulturae* 201: 238–246.

Yeats, T. H., and J. K. C. Rose. 2013. The formation and function of plant cuticles. *Plant Physiology* 163: 5–20.

9. Stellate trichomes (*Quercus suber*)

Simões, R., A. Rodrigues, S. Ferreira-Dias, I. Miranda, and H. Pereira. 2020. Chemical composition of cuticular waxes and pigments and morphology of leaves of *Quercus suber* trees of different provenance. *Plants* 9: 1165.

10. Extrafloral nectaries (*Croton urucurana*)

Freitas, L., and A. A. S. Paoli. 1999. Structure and ultrastructure of the extrafloral nectaries of *Croton urucurana* Baill. (Euphorbiaceae). *Boletim de Botânica da Universidade de São Paulo* 18: 1–10.

Weber, M. G., and K. H. Keeler. 2013. The phylogenetic distribution of extrafloral nectaries in plants. *Annals of Botany* 111: 1251–1261.

11. Glandular hairs (*Pelargonium* ‘Mabel Grey’)



Ko, K. N., K. W. Lee, S. E. Lee, and E. S. Kim*. 2007. Development and ultrastructure of glandular trichomes in *Pelargonium x fragrans* 'Mabel Grey' (Geraniaceae). *Journal of Plant Biology* 50: 362–368.

Roman, S., C. Voaides, and N. Babeanu. 2023. Exploring the Sustainable Exploitation of Bioactive Compounds in *Pelargonium* sp.: Beyond a Fragrant Plant. *Plants* 12: 4123.

12. Salt bladders (*Atriplex canescens*)

Guo, H., Y.-N. Cui, L. Zhang, S. Feng, Z.-J. Ren, S.-M. Wang, and A.-K. Bao. 2022. AcHKT1;2 is a candidate transporter mediating the influx of Na into the salt bladder of *Atriplex canescens*. *Plant and Soil* 483: 1–18.

LoPresti, E. F. 2014. Chenopod salt bladders deter insect herbivores. *Oecologia* 174: 921–930.

13. Barbed hairs (*Eucnide urens*)

Ensikat, H.-J., A. Mustafa, and M. Weigend. 2017. Complex patterns of multiple biomineralization in single-celled plant trichomes of the Loasaceae. *American Journal of Botany* 104: 195–206.

Glos, R. A. E., and M. G. Weber. *In prep.* Barbs and biochemistry: Untangling the antiherbivore functions of non-glandular trichomes and leaf secondary metabolites in *Eucnide urens* (Loasaceae).

14. Cactus areoles (*Opuntia deamii*)

Ju, J., H. Bai, Y. Zheng, T. Zhao, R. Fang, and L. Jiang. 2012. A multi-structural and multi-functional integrated fog collection system in cactus. *Nature Communications* 3: 1247.

